

US009636546B2

(12) United States Patent Sullivan et al.

(54) MULTI-LAYERED CORES FOR GOLF BALLS BASED ON IONOMERS

(71) Applicant: Acushnet Company, Fairhaven, MA

(US)

(72) Inventors: Michael J. Sullivan, Old Lyme, CT

(US); Mark L. Binette, Mattapoisett,

MA (US)

(73) Assignee: Acushnet Company, Fairhaven, MA

(US)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 14/852,857

(22) Filed: Sep. 14, 2015

(65) **Prior Publication Data**

US 2016/0001135 A1 Jan. 7, 2016

Related U.S. Application Data

- (62) Division of application No. 13/152,577, filed on Jun.3, 2011, now Pat. No. 9,132,319.
- (51) Int. Cl. C08L 23/04 (2006.01) A63B 37/02 (2006.01) (Continued)
- (52) U.S. Cl.

CPC A63B 37/0075 (2013.01); A63B 37/0003 (2013.01); A63B 37/0039 (2013.01); A63B 37/0044 (2013.01); A63B 37/0049 (2013.01); A63B 37/0059 (2013.01); A63B 37/0063 (2013.01); A63B 37/0069 (2013.01); A63B 37/0076 (2013.01); A63B 37/0092 (2013.01); A63B 37/006 (2013.01);

(10) Patent No.: US 9,636,546 B2

(45) **Date of Patent:**

May 2, 2017

(58) Field of Classification Search

CPC C08L 23/0876; C08L 23/025; C08L 23/04; A63B 37/0051; A63B 37/0059; A63B 37/0063; A63B 37/02

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

5,184,828 A * 2/1993 Kim A63B 37/0003 473/373 5,691,418 A 11/1997 Hagman et al.

(Continued)

OTHER PUBLICATIONS

DuPont, Technical Data Sheet-Golf Ball Resins, HPF 2000, May 2005.

(Continued)

Primary Examiner — John E Simms, Jr. (74) Attorney, Agent, or Firm — Daniel W. Sullivan

(57) ABSTRACT

Multi-piece golf balls having a solid core of at least one layer and cover of at least one layer are provided. Thermoplastic ethylene acid copolymer ionomer compositions are used to form the core layers. Preferably, the ball contains a dual-core having an inner core and surrounding outer core layer. Low modulus and high modulus ionomer compositions may be used in the core structure. In one embodiment, a first ionomer composition is used to form the inner core and a second ionomer composition is used to form the outer core, and the flex modulus of the first composition is greater than the flex modulus of the second composition. The ionomer compositions have varying levels of hardness. The resulting ball has high resiliency and rebounding properties.

14 Claims, 2 Drawing Sheets

